IN THE CLAIMS:

Cancel claim 2 without prejudice.

Amend claims 1, 3, 4, 6, 7, 9, 10, 15, 17, 21, 22, 24, 25, 28 and 31 as shown.

1. (currently amended) An eye injury treatment station comprising: a reservoir for storing an eye washing fluid, said reservoir having a manual means for developing a pressurizing said eye washing fluid pressure in the interior of said reservoir, an eye washing fluid in the interior of said reservoir; at least one hand held applicator at a remote location from said reservoir, said applicator connected to said reservoir with a flexible elongated tube for retracting an eyelid and spraying said eye washing fluid into an injured eye of a person who is standing or laying in a horizontal position; and a an elongated flexible tube of sufficient length for connecting said remote applicator to said reservoir and positioning said applicator adjacent to said injured eye; and a cart for transporting said reservoir, said applicator and said flexible tube; said cart having a frame and a pair of wheels.

2. canceled.

3. (currently amended) The eye injury treatment station recited in claim 1 wherein said means for developing a storing said eye washing fluid under pressure in the interior of said reservoir comprises a manually operated pump mounted in said reservoir.

- 4. (currently amended) The eye injury treatment station recited in claim 1 wherein said means for developing a storing said eye washing fluid under pressure in the interior of said reservoir comprises a valve in said reservoir for admitting air under pressure from an external source under pressure into said reservoir.
- 5. (original) The eye injury treatment station recited in claim 1 wherein said reservoir comprises a tank and a pressure gauge mounted in said tank.
- 6. (currently amended) The eye injury treatment station recited in claim 2 1 further comprising a cabinet attached to said cart for storing eye treatment substances.
- 7. (currently amended) The eye treatment station recited in claim 2 1 wherein further comprising a means for retaining said reservoir to said cart comprises comprising a bracket on said a frame, a chain and a padlock.
- 8. (original) The eye treatment station recited in claim 1 further comprising an anti-bacterial agent stored in said reservoir.
- 9. (currently amended) The eye treatment station recited in claim 1 wherein said applicator is a face mask for enclosing at least one eye, said face mask having a housing portion for enclosing said eye and a spray nozzle portion in the interior of said housing portion for spraying said eye washing fluid into said eye and a valve for controlling a

discharge of said spray from said spray nozzle portion.

- 10. (currently amended) The eye treatment station recited in claim 4 wherein said applicator further comprises a valve in said applicator housing for controlling a discharge of said spray.
- 11. (original) The eye treatment station recited in claim 1 wherein said applicator is a spray gun.
- 12. (original) The eye treatment station recited in claim 9 further comprising a spray gun.
- 13. (original) The eye treatment station recited in claim 1 further comprising a means for collecting and disposing spent eye washing fluid.
- 14. (original) The eye treatment station recited in claim 1 further comprising a second applicator for spraying said eye washing fluid into said eye.
- 15. (currently amended) The eye treatment station recited in claim 4 9 wherein said face mask further comprises a second nozzle portion for spraying said eye washing fluid into a second eye.

- 16. (original) The eye treatment station recited in claim 15 wherein said face mask further comprises a second valve in said applicator housing for controlling a discharge of said spray from said second nozzle portion.
- 17. (currently amended) An eye injury treatment station comprising: a reservoir for storing an eye washing fluid, said reservoir having a gauge for displaying a pressure in said tank, a hand operated pump mounted in said reservoir for developing said pressure in the interior of said reservoir; an eye washing fluid stored in said tank reservoir, said eye washing fluid including an anti-agent anti-bacterial agent for preventing contamination of said eye washing fluid; at least one hand held means at a remote location from said reservoir, said hand held means connected to said tank reservoir for retracting an eyelid and spraying said eye washing fluid into an eye of an injured person who is lying or is standing; a an elongated flexible tube for connecting said spraying means to said tank reservoir; a means for collecting said eye washing fluid after said spraying; and a cart for transporting said tank, said eye washing fluid, said applicator, and said pump.
- 18. (original) The eye injury treatment station recited in claim 17 further comprising a cabinet attached to said cart for storing eye medications and eye covering materials.
- 19. (original) The eye injury treatment station recited in claim 17 wherein said fluid spraying means comprises a mask for enclosing said eye, said mask having a spray nozzle portion for spraying said eye washing fluid into said eye.

- 20. (original) The eye injury treatment station recited in claim 17 wherein said eye washing fluid spraying means comprises a mask for enclosing said eye, said mask having a nozzle portion in the interior of said mask for spraying said eye washing fluid into said eye; and a spray gun for optionally spraying said eye washing fluid into said eye.
- 21. (currently amended) The eye injury treatment station recited in claim 17 wherein said eye washing fluid collecting means comprises a <u>detachable</u> basin attached to said cart for collecting said fluid; a <u>removable</u> pail for receiving fluid from said basin; and a flexible tube attached to an outlet portion of said basin for directing said fluid into said pail.
- 22. (currently amended) An eye injury treatment station comprising: a reservoir for storing an eye washing fluid under pressure, said tank reservoir having a means for developing said pressure in an interior of said reservoir tank, an eye washing fluid stored in said interior of said reservoir tank; a pair of hand held applicators connected to said reservoir tank for retracting eyelids and spraying said eye washing fluid into at least one eye of an injured person who is lying or standing; and a pair of elongated flexible tube tubes for connecting said applicator applicators to said reservoir tank at a location which is remote from said tank.
- 23. (original) The eye injury treatment station recited in claim 22 wherein said eye washing fluid is water.

- 24. (currently amended) The eye injury treatment station recited in claim 22 further comprising a cabinet mounted in said eye injury station adjacent to said tank and eye medications and eye covering materials stored in an interior of said cabinet.
- 25. (currently amended) The eye injury treatment station recited in claim 22 comprising a means in each of said applicators for controlling a amounts of spray of said eye washing fluid from each of said applicators.
- 26. (original) The eye injury treatment station recited in claim 22 wherein said means for developing a pressure inside of said reservoir is a hand operated pump.
- 27. (original) The eye injury treatment station recited in claim 22 wherein said means for developing a pressure inside of said reservoir is a valve in said reservoir for admitting air under pressure into said reservoir.
- 28. (currently amended) A method for treating an eye of a person who is lying or standing which and has been injured by a corrosive liquid, noxious gas or foreign object comprising the steps of: storing an eye washing fluid in a reservoir; developing a pressure in said reservoir with a hand operated pump; extending a flexible tube to position a hand held applicator adjacent to an injured eye; and retracting an eyelid of said injured eye with said hand held applicator and spraying a portion of said eye washing fluid into said eye with said hand held applicator which is remote from said reservoir.

- 29. (original) The method recited in claim 28 further comprising the steps of: applying a medication to said eye; and covering said eye.
- 30. (original) The method for treating an eye recited in claim 28 further comprising the initial step of transporting said reservoir to said person with said injured eye.
- 31. (currently amended) The method for treating an eye recited in claim 28 further comprising the step of removing a foreign <u>ferromagnetic</u> object from said eye with a magnet.
- 32. (original) The method for treating an eye recited in claim 28 wherein said step of developing a pressure in said reservoir consists of operating a hand pump mounted in said reservoir.
- 33. (original) The method for treating an eye recited in claim 28 wherein the step of developing a pressure in said reservoir consists of admitting air under pressure into said reservoir.
- 34. (original) The method for treating an eye recited in claim 28 further comprising the steps of collecting and disposing of spent eye washing fluid.